EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	17	(713/189-194.ccls. 380/28-30,242.ccls. 725/25-31.ccls.) and (cam same reconfigur$)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 11:34
L7	1	(713/189-194.ccls. 380/28-30,242.ccls. 725/25-31.ccls.) and ((conditional adj access) same reconfigur$)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 11:40
L8	1799	713/193.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 11:40

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	243	digital and (state adj machine) and reconfigur$ and receiver and cam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/10 10:32

IEEE *Xplore* ®
RELEASE 2.3

Search Results

BROWSE　　　SEARCH　　　IEEE XPLORE GUIDE

Results for "((('conditional access'<in>metadata) <and> (reconfigure<in>metadata))) <..."
Your search matched **0** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

☑ e-mail

» Search Options

View Session History

New Search

Modify Search

(((('conditional access'<in>metadata) <and> (reconfigure<in>metadata))) <and> (p ｜ Search ｜

☐ Check to search only within this results set

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Display Format: ⦿ Citation　◯ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan search.

Help　　Contact Us　　Privacy & :

© Copyright 2006 IEEE –

PORTAL

USPTO

Search: ⦿ The ACM Digital Library   ○ The Guide

+reconfigure +"conditional access"   SEARCH

THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Published before March 2002
Terms used **reconfigure conditional access**   Found **1** of **128,591**

Sort results by	relevance ▼	❤ Save results to a Binder	Try an Advanced Search
Display results	expanded form ▼	? Search Tips	Try this search in The ACM Guide
		☐ Open results in a new window	

Results 1 - 1 of 1

Relevance scale ☐ ☐ ☐ ■ ■

1   Hardware/software tradeoffs in a variable word width, variable queue length buffer memory   ☐
A. C. Parker, A. W. Nagle
March 1977 **ACM SIGARCH Computer Architecture News , Proceedings of the 4th annual symposium on Computer architecture ISCA '77**, Volume 5 Issue 7
Publisher: ACM Press

Full text available: 📄 pdf(401.04 KB)   Additional Information: full citation, abstract, references, citings, index terms

This paper describes a buffer memory design which is integratable on a single 40 pin package. The memory consists of four variable word width, variable length queues, address logic, and logic for configuring the data widths and queue lengths. Simple program commands input on the data lines reconfigure the memories when the circuit is in program mode. In data mode, WRITE and READ requests to a particular buffer enable the memory to load and access itself, update its pointers, and check for f ...

Results 1 - 1 of 1

Useful downloads: 📄 Adobe Acrobat   ⓠ QuickTime   🎞 Windows Media Player   ▶ Real Player

Google

Web   Images   Video   News   Maps   more »

reconfigure "conditional access"   [Search]   Advanced Search
                                                   Preferences

---

Web   Results **1 - 10** of about **506** for **reconfigure "conditional access"**. (**0.20** seconds)

EP1000508 Scientific european software patent - Authorization of ...
Software Patent: Authorization of services in a **conditional access** system ... CAAs can be
used to **reconfigure** the terminal with respect to the third CAA. ...
gauss.ffii.org/PatentView/EP1000508 - 196k - Cached - Similar pages

EP1000511 Scientific european software patent - **Conditional access** ...
EP1000511 Scientific atlanta (US): **Conditional access** system System mit ... Root CAAs
can be used to **reconfigure** the terminal with respect to the third CAA. ...
gauss.ffii.org/PatentView/EP1000511 - 209k - Cached - Similar pages
[More results from gauss.ffii.org]

Encryption devices for use in a **conditional access** system - Patent ...
A cable television system provides **conditional access** to services. ... the Root CAAs can
be used to **reconfigure** the terminal with respect to the third CAA. ...
freepatentsonline.com/6424717.html - 225k - Cached - Similar pages

[PDF] CASE STORY DiviTech's HEMS: Dynamic and Real-time Solution For ...
File Format: PDF/Adobe Acrobat - View as HTML
simultaneously execute technical or CA (**conditional access**) configuration ... triggers from
the automation system to activate the CA (**conditional access**) ...
www.divitech.net/media/casestories/TPS%20Case%20Story_Final.pdf - Similar pages

[PDF] User Requirements for Terrestrial Digital Broadcasting Services
File Format: PDF/Adobe Acrobat - View as HTML
the flexibility to **reconfigure** the available data capacity between different ... The system
must allow the operation of both clear and **conditional access** ...
www.dvb.org/
(RoxenUserID=0bf76ac0e87cadaea015d809a6c92f8e)/technology/bluebooks/a004.pdf -
Similar pages

alt.2600 / #hack FAQ
... are equipped with slots for access cards called **Conditional Access** Modules. ... Tier
wipes are updates which are sent down to **reconfigure** unsubcribed ...
www.outpost9.com/how-to/hackfaq-television.shtml - 13k - Cached - Similar pages

Current and reliable Electronic Components and Devices news stories
Apr 10, 2007 Performing as single SoC, MONARCH can **reconfigure** itself on-the-fly ...
Decoder supports security features required by **conditional-access** (CA) ...
news.thomasnet.com/news/electronic_components_devices/60 - 74k -
Cached - Similar pages

[PDF] Title of doc
File Format: PDF/Adobe Acrobat - View as HTML
To compound the problem, designers need to determine how to **reconfigure** the image-
processing ... Handling **conditional access** interface, such as smart cards ...
www.altera.com/literature/wp/wp-01018.pdf - Similar pages

[PDF] NCTA 'The National Show' 2006
File Format: PDF/Adobe Acrobat
as **conditional access** and authorization. services for operators. ... quickly update,

reconfigure and cus-. tomize settings for the CLIKR 5, includ- ...
www.cedmagazine.com/uploadedFiles/Ced/Show_Dailies/NCTA06day3.pdf - Similar pages

German Broadcaster Protects Content and Operations with Harmonic ...
"Traditionally, **conditional access**, video compression and set-top systems ... and can
dynamically **reconfigure** the infrastructure in the event of a problem. ...
www.spacenewsfeed.co.uk/2004/12September2004_8.html - 9k - Cached - Similar pages

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

reconfigure "conditional access"   Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2007 Google